

# WELDING AND STEEL

Kemitura has through decades been supplying a wide range of industries. This brochure is dedicated some of the more unique products within the world of welding applications as well as the steel industry of today.



## WELDING COVER

Our certified silicone-coated welding cover is highly praised among a wide range of end users from the offshore industry to the military. It is easy to cut in without scratching your fingers, and it is fast and flexible when covering up nearby objects.


Technical Specifications:

Type: Kemtex® 3200-2-SS

Coating: Silver silicone on both sides.

Weight: 560 g/m<sup>2</sup>

Temp. resistance: -20 to 260 degrees Celsius.



## PUREFIX®

Purefix® pickling paste for stainless steel welding is the only product totally free from Hydrofluoric acid. This makes it much more user friendly and it is well-known in the food industry due to its outstanding environmental capabilities.

Technical Specifications:

Type: Purefix Thixotropic paste.

Application: Stainless steel welds.

Packaging: 1 kilo & 10 kilo containers.

**Contains no hydrofluoric acid or toxic ingredients.**

Reaction time is 5-10 minutes after which the paste can be wiped off with water. For use on all stainless steel welds for removing oxides, discoloration, obtaining uniform look and ensuring the corrosion balance. The best result is achieved by using a special pickling sponge for grinding.



## STEEL CLEAN®

The ultimate cleaner for stainless steel. It removes mineral deposits, flash rust and corrosion. Easy to use and water-based. Safe to use on stainless steel, aluminium, copper and brass. Ask for spray or container.



## STEEL PROTECT®

After using Steel Clean try our Steel Protect for the perfect finish and corrosion protection. It promotes uniform aging of stainless steel. Prevents permanent finger marks on brushed and polished stainless steel. Displaces moisture and provides temporary corrosion protection. Silicone-based. Ask for spray or container.





Kemitura Group A/S  
Industrivej 9  
DK-3540 Lyngby - Denmark  
[www.kemitura.com](http://www.kemitura.com)

Phone +45 47 17 18 55  
Fax +45 47 17 25 11  
[kemitura@kemitura.com](mailto:kemitura@kemitura.com)

